

## Volume 42 (1991) Author Index

### A

- Abbott, N. A., B. G. Coombe, and P. J. Williams. The contribution of hydrolyzed flavor precursors to quality differences in Shiraz juice and wines: An investigation by sensory descriptive analysis. 42:167-74.
- Adams, D. O., and C. Liyanage. Modification of an enzymatic glutathione assay for determination of total glutathione in grapevine tissues. 42:137-40.
- Agrelo, D. See E. Longo. 42:141-4.
- Alba, J. See C. L. Duitschaever. 42:19-25.  
See J. M. García-Ruiz. 42:336-40.
- Allen, B. See C. L. Duitschaever. 42:19-25.
- Allen, M. S., M. J. Lacey, R. L. N. Harris, and W. V. Brown. Contribution of methoxypyrazines to Sauvignon blanc wine aroma. 42:109-12.  
See M. J. Lacey. 42:103-8.
- Amemiya, H. See Nami Yamamoto. 42:358-63.
- An, D. See C. S. Ough. 42:26-40.
- Andersen, P. C., and B. V. Brodbeck. Influence of fertilization on xylem fluid chemistry of *Vitis vinifera* hybrid Suwannee. 42:245-51.
- Andricopoulos, N. See V. Voulgaropoulos. 42:73-5.

### B

- Bary, A. See R. L. Wample. 42:67-72.
- Bates, R. P. See C. A. Sims. 42:128-32.
- Belleville, M.-P. See J.-M. Brillouet. 42:150-2.
- Bessis, R. See P. Jeandet. 42:41-6.
- Bettiga, L. J. See W. D. Gubler. 42:233-6.
- Bianchi, M. L. See L. P. Christensen. 42:227-32.
- Biscay, P. J. See L. E. Williams. 42:113-17.
- Bisson, L. F. See F. F. Monteiro. 42:47-57, 199-208.
- Bongers, A. J., R. T. Hinsch, and V. B. Bus. Physical and chemical characteristics of raisins from several countries. 42:76-8.
- Borrull, F. See M. Calull. 42:268-73.
- Brillouet, J.-M., M.-P. Belleville, and M. Moutounet. Possible protein-polysaccharide complexes in red wine. 42:150-2.
- Brissonnet, F., and A. Maujean. Identification of some foam-active compounds in Champagne base wines. 42:97-102.
- Brodbeck, B. V. See P. C. Andersen. 42:245-51.
- Brown, W. V. See M. S. Allen. 42:109-12.  
See M. J. Lacey. 42:103-8.
- Buglass, A. J., and S. C. Garnham. A novel method for the determination of lactic acid. Comparison of lactic acid content of English and north European wines. 42:63-6.
- Burr, T. J. See R. L. Wample. 42:67-72.
- Bus, V. B. See A. J. Bongers. 42:76-8.
- Buteau, C. See C. L. Duitschaever. 42:19-25.

### C

- Cacho, J., and J. E. Castells. Fractionation of phenolic compounds from grapes by size exclusion liquid chromatography with HPLC instrumentation. 42:327-35.
- Calull, M., F. Borrull, R. M. Marcé, and F. Zamora. HPLC analysis of fatty acids in wine. 42:268-73.
- Cameron, H. R. See M. H. Walter. 42:175-9.
- Cansado, J. See E. Longo. 42:141-4.
- Castells, E. See J. Cacho. 42:327-35.
- Cavin, J. F., F. Z. Drici, H. Prevost, and C. Divies. Prophage curing in *Leuconostoc oenos* by mitomycin C induction. 42:163-6.
- Christensen, L. P., W. L. Peacock, and M. L. Bianchi. Potassium fertilization of Thompson Seedless grapevines using two fertilizer sources under drip irrigation. 42:227-32.  
See W. L. Peacock. 42:322-6.
- Clayton, M. G. See G. J. Pilone. 42:153-7.
- Codony-Salcedo, R. See M. C. Vidal-Carou. 42:145-9.
- Conradie, W. J. Distribution and translocation of nitrogen absorbed during early summer by two-year-old grapevines grown in sand culture. 42:180-90.
- Coombe, B. G. See N. A. Abbott. 42:167-74.

### D

- De Villiers, O. T. See J. J. Hunter. 42:13-18, 237-44.
- Divies, C. See J. F. Cavin. 42:163-6.
- Domecq, B. See L. Perez. 42:58-62.
- Drici, F. Z. See J. F. Cavin. 42:163-6.
- Duitschaever, C. L., J. Alba, C. Buteau, and B. Allen. Riesling wines made from must concentrated by reverse osmosis. I. Experimental conditions and composition of musts and wines. 42:19-25.

### E

- Edson, C. E. See G. S. Howell. 42:191-8.
- Edwards, C. G., K. A. Jensen, S. E. Spayd, and B. J. Seymour. Isolation and characterization of native strains of *Leuconostoc oenos* from Washington State wines. 42:219-26.  
See K. A. Jensen. 42:274-7.

### F

- Famuyiwa, O. O., and C. S. Ough. Modification of acid urease activity by fluoride ions and malic acid in wines. 42:79-80.
- Flanzy, C. See F. Z. Sauvage. 42:209-18.
- Flores, J. H., D. A. Heatherbell, L. A. Henderson, and M. R. McDaniel. Ultrafiltration of wine: Effect of ultrafiltration on the aroma and flavor characteristics of White Riesling and Gewürztraminer wines. 42:91-6.

## Volume 42 (1991) Author Index

### A

- Abbott, N. A., B. G. Coombe, and P. J. Williams. The contribution of hydrolyzed flavor precursors to quality differences in Shiraz juice and wines: An investigation by sensory descriptive analysis. 42:167-74.
- Adams, D. O., and C. Liyanage. Modification of an enzymatic glutathione assay for determination of total glutathione in grapevine tissues. 42:137-40.
- Agrelo, D. See E. Longo. 42:141-4.
- Alba, J. See C. L. Duitschaever. 42:19-25.  
See J. M. García-Ruiz. 42:336-40.
- Allen, B. See C. L. Duitschaever. 42:19-25.
- Allen, M. S., M. J. Lacey, R. L. N. Harris, and W. V. Brown. Contribution of methoxypyrazines to Sauvignon blanc wine aroma. 42:109-12.  
See M. J. Lacey. 42:103-8.
- Amemiya, H. See Nami Yamamoto. 42:358-63.
- An, D. See C. S. Ough. 42:26-40.
- Andersen, P. C., and B. V. Brodbeck. Influence of fertilization on xylem fluid chemistry of *Vitis vinifera* hybrid Suwannee. 42:245-51.
- Andricopoulos, N. See V. Voulgaropoulos. 42:73-5.

### B

- Bary, A. See R. L. Wample. 42:67-72.
- Bates, R. P. See C. A. Sims. 42:128-32.
- Belleville, M.-P. See J.-M. Brillouet. 42:150-2.
- Bessis, R. See P. Jeandet. 42:41-6.
- Bettiga, L. J. See W. D. Gubler. 42:233-6.
- Bianchi, M. L. See L. P. Christensen. 42:227-32.
- Biscay, P. J. See L. E. Williams. 42:113-17.
- Bisson, L. F. See F. F. Monteiro. 42:47-57, 199-208.
- Bongers, A. J., R. T. Hinsch, and V. B. Bus. Physical and chemical characteristics of raisins from several countries. 42:76-8.
- Borrull, F. See M. Calull. 42:268-73.
- Brillouet, J.-M., M.-P. Belleville, and M. Moutounet. Possible protein-polysaccharide complexes in red wine. 42:150-2.
- Brissonnet, F., and A. Maujean. Identification of some foam-active compounds in Champagne base wines. 42:97-102.
- Brodbeck, B. V. See P. C. Andersen. 42:245-51.
- Brown, W. V. See M. S. Allen. 42:109-12.  
See M. J. Lacey. 42:103-8.
- Buglass, A. J., and S. C. Garnham. A novel method for the determination of lactic acid. Comparison of lactic acid content of English and north European wines. 42:63-6.
- Burr, T. J. See R. L. Wample. 42:67-72.
- Bus, V. B. See A. J. Bongers. 42:76-8.
- Buteau, C. See C. L. Duitschaever. 42:19-25.

### C

- Cacho, J., and J. E. Castells. Fractionation of phenolic compounds from grapes by size exclusion liquid chromatography with HPLC instrumentation. 42:327-35.
- Calull, M., F. Borrull, R. M. Marcé, and F. Zamora. HPLC analysis of fatty acids in wine. 42:268-73.
- Cameron, H. R. See M. H. Walter. 42:175-9.
- Cansado, J. See E. Longo. 42:141-4.
- Castells, E. See J. Cacho. 42:327-35.
- Cavin, J. F., F. Z. Drici, H. Prevost, and C. Divies. Prophage curing in *Leuconostoc oenos* by mitomycin C induction. 42:163-6.
- Christensen, L. P., W. L. Peacock, and M. L. Bianchi. Potassium fertilization of Thompson Seedless grapevines using two fertilizer sources under drip irrigation. 42:227-32.  
See W. L. Peacock. 42:322-6.
- Clayton, M. G. See G. J. Pilone. 42:153-7.
- Codony-Salcedo, R. See M. C. Vidal-Carou. 42:145-9.
- Conradie, W. J. Distribution and translocation of nitrogen absorbed during early summer by two-year-old grapevines grown in sand culture. 42:180-90.
- Coombe, B. G. See N. A. Abbott. 42:167-74.

### D

- De Villiers, O. T. See J. J. Hunter. 42:13-18, 237-44.
- Divies, C. See J. F. Cavin. 42:163-6.
- Domecq, B. See L. Perez. 42:58-62.
- Drici, F. Z. See J. F. Cavin. 42:163-6.
- Duitschaever, C. L., J. Alba, C. Buteau, and B. Allen. Riesling wines made from must concentrated by reverse osmosis. I. Experimental conditions and composition of musts and wines. 42:19-25.

### E

- Edson, C. E. See G. S. Howell. 42:191-8.
- Edwards, C. G., K. A. Jensen, S. E. Spayd, and B. J. Seymour. Isolation and characterization of native strains of *Leuconostoc oenos* from Washington State wines. 42:219-26.  
See K. A. Jensen. 42:274-7.

### F

- Famuyiwa, O. O., and C. S. Ough. Modification of acid urease activity by fluoride ions and malic acid in wines. 42:79-80.
- Flanzy, C. See F. Z. Sauvage. 42:209-18.
- Flores, J. H., D. A. Heatherbell, L. A. Henderson, and M. R. McDaniel. Ultrafiltration of wine: Effect of ultrafiltration on the aroma and flavor characteristics of White Riesling and Gewürztraminer wines. 42:91-6.

## G

- Galán Serrano, M. A. See E. Martínez de la Ossa. 42:252-4.
- Gannotti, J. L. See S. A. Kupina. 42:1-5.
- García-Ruiz, J. M., R. Alcántara, and J. Martín. Evaluation of wine stability to potassium hydrogen tartrate precipitation. 42:336-40.
- Garham, S. C. See A. J. Buglass. 42:63-6.
- Gautheron. See P. Jeandet. 42:41-6.
- Glories, Y. See C. W. Nagel. 42:364-6.
- Goffinet, M. C., and R. C. Pearson. Anatomy of russetting induced in Concord grape berries by the fungicide Chlorothalonil. 42:281-9.
- Gonzales, P. See L. Perez. 42:58-62.
- Goodwin, C. O., and J. R. Morris. Effect of ultrafiltration on wine quality and browning. 42:347-53.
- Gubler, W. D., L. J. Bettiga, and D. Heil. Comparisons of hand and machine leaf removal for the control of Botrytis bunch rot. 42:233-6.
- Guijo, S. See J. C. Mauricio. 42:301-8.

## H

- Harris, R. L. N. See M. S. Allen. 42:109-12.  
See M. J. 42:103-8.
- Heatherbell, D. A. See J. H. Flores. 42:91-6.
- Heil, D. See W. D. Gubler. 42:233-6.
- Henderson, L. A. See J. H. Flores. 42:91-6.
- Henschke, P. A., and C. S. Ough. Urea accumulation in fermenting grape juice. 42:317-21.  
See J. E. Petering. 42:6-12.
- Hinsch, R. T. See A. J. Bongers. 42:76-8.
- Hirschfeld, D. J. See W. L. Peacock. 42:322-6.
- Howell, G. S., D. P. Miller, C. E. Edson, and R. K. Striegler. Influence of training system and pruning severity on yield, vine size, and fruit composition of Vignoles grapevines. 42:191-8.
- Huang, Z., and C. S. Ough. Amino acid profiles of commercial grape juices and wines. 42:261-7.  
See C. S. Ough. 42:26-40.
- Hunter, J. J., O. T. De Villiers, and J. E. Watts. The effect of partial defoliation on quality characteristics of *Vitis vinifera* L. cv. Cabernet Sauvignon grapes. II. Skin color, skin sugar, and wine quality. 42:13-18.  
\_\_\_\_\_, J. H. Visser, and O. T. De Villiers. Preparation of grapes and extraction of sugars and organic acids for determination by high performance liquid chromatography. 42:237-44.

## J

- Jackson, D. I. Environmental and hormonal effects on development of early bunch stem necrosis. 42:290-4.
- Jacobs, C. J., and H. J. J. van Vuuren. Effects of different killer yeasts on wine fermentations. 42:295-300.
- Jeandet, P., R. Bessis, and B. Gautheron. The production of resveratrol (3,5,4'-trihydroxystilbene) by grape berries in different developmental stages. 42:41-6.

Jensen, K. A., and C. G. Edwards. Modification of the API rapid CH system for characterization of *Leuconostoc oenos*. 42:274-7.

See C. G. Edwards. 42:219-26.

## K

- Kantz, K., and V. L. Singleton. Isolation and determination of polymeric polyphenols in wines using Sephadex LH-20. 42:309-16.
- Kupina, S. A., C. A. Pohl, and J. L. Gannotti. Determination of tartaric, malic, and citric acids in grape juice and wine using gradient ion chromatography. 42:1-5.

## L

- Lacey, M. J., M. S. Allen, R. L. N. Harris, and W. V. Brown. Methoxypyrazines in Sauvignon blanc grapes and wines. 42:103-8.  
See M. S. Allen. 42:109-12.
- Liyanage, C. See D. O. Adams. 42:137-40.
- Landridge, P. See J. E. Petering. 42:6-12.
- Loescher, W. H. See J. E. Muniz. 42:341-6.
- Longo, E., J. Cansado, D. Agrelo, and T. G. Villa. Effect of climatic conditions on yeast diversity in grape musts from northwest Spain. 42:141-4.

## M

- Main, G. L., and J. R. Morris. Color of Riesling and Vidal wines as affected by bentonite, Cufex®, and sulfur dioxide juice treatments. 42:354-7.
- Marcé, R. M. See M. Calull. 42:268-73.
- Mariné-Font, A. See M. C. Vidal-Carou. 42:145-9.
- Martín, J. See J. M. García-Ruiz. 42:336-40.
- Martínez de la Ossa, E., and M. A. Galán Serrano. Salt effect on the composition of alcohols obtained from wine by extractive distillation. 42:252-4.
- Maujean, A. See F. Brissonet. 42:97-102.
- Mauricio, J. C., S. Guijo, and J. M. Ortega. Relationship between phospholipid and sterol content in *Saccharomyces cerevisiae* and *Torulaspora delbrueckii* and their fermentation activity in grape musts. 42:301-8.
- McDaniel, M. R. See J. H. Flores. 42:91-6.
- Miller, D. P. See G. S. Howell. 42:191-8.
- Monteiro, F. F., and L. F. Bisson. Amino acid utilization and urea formation during vinification fermentations. 42:199-208.  
\_\_\_\_\_, and L. F. Bisson. Biological assay of nitrogen content of grape juice and prediction of sluggish fermentations. 42:47-57.
- Mora, J., and A. Mulet. Effects of some treatments of grape juice on the population and growth of yeast species during fermentation. 42:133-6.
- Morris, J. R. See G. L. Main. 42:354-7.  
See C. O. Goodwin. 42:347-53.  
See V. Panagiotatopoulou. 42:255-60.
- Mortensen, J. A. See C. A. Sims. 42:128-32.
- Moutounet, M. See J.-M. Brillouet. 42:150-2.

Mulet, A. See J. Mora. 42:133-6.

Muniz, J. E., R. L. Wample, and W. H. Loesch. Cultivar differences in response to low temperatures in *Vitis vinifera* callus *in vitro*. 42:341-6.

## NO

Nagel, C. W., and Y. Glories. Use of a modified dimethylaminocinnamaldehyde reagent for analysis of flavanols. 42:364-6.

Ortega, J. M. See J. C. Mauricio. 42:301-8.

Ough, C. S., Z. Huang, D. An, and D. Stevens. Amino acid uptake by four commercial yeasts at two different temperatures of growth and fermentation: Effects on urea excretion and reabsorption. 42:26-40.

See O. O. Famuyiwa. 42:79-80.

See Z. Huang. 42:261-7.

See P. A. Henschke. 42:317-21.

## P

Panagiotatakopoulou, V., and J. R. Morris. Chemical additives to reduce browning in white wines. 42:255-60.

Peacock, W. L., L. P. Christensen, and D. J. Hirschfeld. Influence of timing of nitrogen fertilizer application on grapevines in the San Joaquin Valley. 42:322-6.

See L. P. Christensen. 42:227-32.

Pearson, R. C. See M. C. Goffinet. 42:281-9.

Perez, L., M. J. Valcarcel, P. Gonzales, and B. Domecq. Influence of *Botrytis* infection of the grapes on the biological aging process of fino sherry. 42:58-62.

Petering, J. E., P. A. Henschke, and P. Landridge. The *Escherichia coli*  $\beta$ -glucuronidase gene as a marker for *Saccharomyces* yeast strain identification. 42:6-12.

Pilone, G. J., M. G. Clayton, and R. J. Van Duivenboden. Characterization of wine lactic acid bacteria: Single broth culture for tests of heterofermentation, mannitol from fructose, and ammonia from arginine. 42:153-7.

Pohl, C. A. See S. A. Kupina. 42:1-5.

Prevost, H. See J. F. Cavin. 42:163-6.

## RS

Robin, J. P. See F. Z. Sauvage. 42:209-18.

Romieu, C. G. See F. Z. Sauvage. 42:209-18.

Sauvage, F. X., C. G. Romieu, C. Flanzky, and J. P. Robin. Amino transferases in grapes. Isolation and characterization of aspartate amino transferase. 42:209-18.

Seymour, B. J. See C. G. Edwards. 42:219-26.

Shimizu, K. See Nami Yamamoto. 42:358-63.

Sims, C. A., R. P. Bates, and J. A. Mortensen. Effects of must polyphenoloxidase activity and timing of sulfite addition on the color and quality of *Vitis rotundifolia* and *Euvitis* hybrid white wines. 42:128-32.

Singleton, V. L. See K. Kantz. 42:309-16.

Soulis, T. See V. Voulgaropoulos. 42:73-5.

Spayd, S. E. See C. G. Edwards. 42:219-26.

Stevens, D. See C. S. Ough. 42:26-40.

Striegler, R. K. See G. S. Howell. 42:191-8.

## TUV

Totsuka, A. See Nami Yamamoto. 42:358-63.

Valcarcel, M. J. See L. Perez. 42:58-62.

Van Duivenboden, R. J. See G. J. Pilone. 42:153-7.

van Vuuren, H. J. J. See C. J. Jacobs. 42:295-300.

Vidal-Carou, M. C., R. Codony-Salcedo, and A. Mariné-Font. Changes in the concentration of histamine and tyramine during wine spoilage at various temperatures. 42:145-9.

Villa, T. G. See E. Longo. 42:141-4.

Visser, J. H. See J. J. Hunter. 42:237-44.

Voulgaropoulos, V., T. Soulis, and N. Andricopoulos. Fluorimetric determination of biacetyl in wines after condensation with 3,4-diaminobenzonitrile. 42:73-5.

## W

Wample, R. L., A. Bary, and T. J. Burr. Heat tolerance of dormant *Vitis vinifera* cuttings. 42:67-72.

See J. E. Muniz. 42:341-6.

Wallace, W. See E. J. Waters. 42:123-7.

Walter, M. H., and H. R. Cameron. Double-stranded RNA isolated from grapevines affected by rupestris stem pitting disease. 42:175-9.

Waters, E. J., W. Wallace, and P. J. Williams. Heat haze characteristics of fractionated wine proteins. 42:123-7.

Watts, J. E. See J. J. Hunter. 42:13-18.

Williams, L. E., and P. J. Biscay. Partitioning of dry weight, nitrogen, and potassium in Cabernet Sauvignon grapevines from anthesis until harvest. 42:113-17.

\_\_\_\_\_, and R. J. Smith. The effect of rootstock on the partitioning of dry weight, nitrogen and potassium, and root distribution of Cabernet Sauvignon grapevines. 42:118-22.

Williams, P. J. See N. A. Abbott. 42:167-74.

See E. J. Waters. 42:123-7.

## YZ

Yamamoto, Nami, Nobuki Yamamoto, H. Amemiya, Y. Yokomori, K. Shimizu, and A. Totsuka. Electrophoretic karyotypes of wine yeasts. 42:358-63.

Yamamoto, Nobuki. See Nami Yamamoto. 42:358-63.

Yokomori, Y. See Nami Yamamoto. 42:358-63.

Zamora, F. See M. Calull. 42:268-73.



## Volume 42 (1991) Subject Index

### A

- A × R1 rootstock. 42:118-22.
- Abbreviations and symbols for AJEV manuscripts. 42:370-5.
- Acclimation of *Vitis vinifera*. 42:341-6.
- Acid(s). See also specific acids.  
fatty. in wine. 42:268-73.  
hydrolysis. 42:167-74.
- Agrobacterium tumefaciens*. in dormant cuttings. 42:67-72.
- Alcohol composition, salt effects on. 42:252-4.
- Amines. 42:145-9.
- Amino acid(s). contribution to urea formation. 42:199-208, 317-21.  
in xylem fluid. 42:245-51.  
profiles in juice and wine. 42:261-7.  
protein-polysaccharide complexes in red wine. 42:150-2.  
uptake by yeasts. 42:26-40.
- Aminotransferases in grapes. 42:209-18.
- Ammonia. contribution to urea formation. 42:317-21.  
from arginine. 42:153-7.
- Ammonium sulfate fractionation. 42:123-7.
- Analysis. See also specific analysis.  
flavanols 42:364-6.  
polymeric phenols in wines. 42:309-16.
- Anatomy of russetting. 42:281-9.
- Anhydrous ethanol. 42:252-4.
- Anthocyanins. effects on polymeric phenols in wines. 42:309-16.  
partial defoliation effects on. 42:13-18.
- Antioxidants. 42:255-60.
- API identification system. 42:274-7.
- Arabinogalactan. 42:150-2.
- Arginine. contribution to urea formation. 42:317-21.  
detection of biochemical characteristics of wine lactic acid bacteria. 42:153-7.  
in commercial juice and wine. 42:261-7.
- Aroma, wine. methoxypyrazines. 42:103-8, 109-12.  
ultrafiltration effects on. 42:91-6.
- Aspartate aminotransferase. 42:209-18.
- Assay, glutathione in grapevine tissue. 42:137-40.  
nitrogen. 42:47-57.
- Arginine. contribution to urea formation. 42:317-21.  
in commercial juice and wine. 42:261-7.
- Authors' guide. 42:370-5.

### B

- Bacteriophage. 42:163-6.
- Bentonite effect on color of Riesling and Vidal wines. 42:354-7.
- Berry, grape. aminotransferases in. 42:209-18.  
organic acid and sugar determination by HPLC. 42:237-44.  
volume. 42:13-18.  
russetting. 42:281-9.  
set. effects on early bunch stem necrosis on. 42:290-4.

skin dry mass. 42:13-18.

- β-glucuronidase gene for yeast strain identification. 42:6-12.
- Biacetyl in wines. 42:73-5.
- Biogenic amines in wines. 42:145-9.
- Botrytis bunch rot. control by leaf removal. 42:233-6.
- Botrytis cinerea*. 42:41-6, 233-6.  
effects on sherry aging. 42:58-62.
- Browning of wines. 42:255-60, 347-53, 354-7.
- Bunch rot. See Botrytis.

### C

- Cabernet Sauvignon grapevines. callus response to low temperatures *in vitro*. 42:341-6.  
heat tolerance of dormant cuttings. 42:67-72.  
rootstock effects on partitioning. 42:118-22.  
sugar and organic acid extraction. 42:237-44.
- Callus response to low temperature. 42:341-6.
- Canopy microclimate. 42:191-8, 233-6.
- Carbohydrate fermentation. 42:274-7.
- Chaptalization. 42:19-25.
- Characterization of wine lactic acid bacteria. 42:153-7.
- Chardonnay grapevines. callus response to low temperatures *in vitro*. 42:341-6.  
heat tolerance of dormant cuttings. 42:67-72.
- Chenin blanc grapevines. heat tolerance of dormant cuttings. 42:67-72.
- Chlormequat. effects on early bunch stem necrosis. 42:290-4.
- Chromatography, high performance liquid. fatty acids analysis in wine. 42:268-73.  
Phenolic compounds fractionation. 42:327-35.  
sugar and organic acid determinations in grapes. 42:237-44.
- Chromatography, ion exchange. organic acid and sugar determination. 42:237-44.
- Chromatography, size exclusion. 42:327-35.
- Clarification, juice. effects on yeast during fermentation. 42:133-6.
- Climatic conditions. effects on yeast diversity in musts. 42:141-4.
- Cold hardiness, grapevine. 42:191-8, 341-6.  
*Vitis vinifera* callus *in vitro*. 42:341-6.
- Colloids. isolation from wines. 42:150-2.
- Color, wine. polyphenoloxidase and sulfite addition effects on. 42:128-32.
- Covalent linkage. 42:150-2.
- Crown gall. 42:67-72.
- Crystal growth. KHT. 42:336-40.
- Cufex effect on color of Riesling and Vidal wines. 42:354-7.
- Cultivar character. callus response to low temperatures *in vitro*. 42:341-6.  
defoliation effects on. 42:13-18.

low temperature response. 42:341-6.

## D

- Defoliation. effects on quality characteristics of Cabernet Sauvignon. 42:13-18.
- Depigmented colloids isolation from wines. 42:150-2.
- Development, grape berry. 42:13-18, 41-6, 281-9.
- Developmental stages. resveratrol production. 42:41-6.  
sugar and organic acid extractions. 42:237-44.
- 3,4-Diaminoamiso condensation of wine to determine biacetyl.  
heat tolerance of dormant cuttings. 42:73-5.
- Disease detection and control, grapevine. 42:175-9, 233-6.
- Distribution of nitrogen in grapevines. 42:180-90.
- Double-stranded RNA. 42:175-9.
- Drip irrigation. 42:227-32.
- Dry matter partitioning in Cabernet Sauvignon grapevines. 42:113-17.
- Dye-binding assay of wine proteins. 42:123-7.

## E

- Early bunch stem necrosis. 42:290-4.
- Electrophoretic karyotypes of wine yeasts. 42:358-63.
- Enzymatic analyses. grape berry. 42:237-44.
- Enzyme hydrolysis in wine. 42:167-74.
- Ethephon. effects on early bunch stem necrosis on. 42:290-4.
- Ethyl carbamate formation in wine. 42:317-21.
- Euvitis* hybrid white wines. 42:128-32.
- Exotherm analysis of grapevine callus. 42:341-6.
- Extractive distillation. 42:252-4.

## F

- Fatty acids in wine. 42:268-73.
- Fermentation. climatic conditions effects on yeast diversity. 42:141-4.  
ethyl carbamate formation during. 42:317-21.  
killer yeast effect on. 42:295-300.  
malolactic. 42:163-6.  
must clarification effects on yeast. 42:133-6.  
phospholipid and sterol contents relationships to yeasts and fermentation activity. 42:301-8.  
sluggish. See sluggish fermentation.
- Fertilization. nitrogen fertilization of Thompson Seedless. 42:322-6.
- Filtration, pad. effect on wine quality and browning. 42:347-53.
- Flame Seedless grapevines. nitrogen fertilization. 42:322-6.
- Flavanols. analysis of. 42:364-6.
- Flavor, wine. methoxypyrazines. 42:103-8, 109-12.  
precursors. 42:167-74.  
ultrafiltration effects on. 42:91-6.  
Fluoride ions to modify urease activity in wine. 42:79-80.
- Fluorimetric determination of biacetyl in wines. 42:73-5.
- Foam-active compounds in sparkling wines. 42:97-102.
- Freeze-drying, grapes. for sample extraction. 42:237-44.
- Fructose. detection of biochemical characteristics of wine lactic acid bacteria. 42:153-7.
- Fruit. See Berry.

## G

- Genomic integration. 42:6-12.
- Gewürztraminer wine. ultrafiltration effects on aroma and flavor. 42:91-6.
- Gluconic acid. effect on biological aging of fino sherry. 42:58-62.
- Glucose. detection of mannitol from. 42:153-7.
- Glutathione assay. 42:137-40.
- Glycerol. effect on biological aging of fino sherry. 42:58-62.
- Grape(s). See also Berries.  
extraction. 42:237-44.  
juice. See Juice.  
methoxypyrazines in. 42:103-8, 109-12.  
resveratrol production during different developmental stages. 42:41-6.  
storage. 42:237-44.
- Grapevine(s). See also specific cultivar.  
Botrytis bunch rot. 42:41-6, 233-6.  
Cabernet Sauvignon. heat tolerance of dormant cuttings. 42:67-72.  
rootstock effects on partitioning. 42:118-22.  
callus response to low temperatures *in vitro*. 42:341-6.  
canopy microclimate. 42:191-8.  
Chardonnay. heat tolerance of dormant cuttings. 42:67-72.  
Chenin blanc. heat tolerance of dormant cuttings. 42:67-72.  
clones. 42:175-9  
cold hardiness. 42:191-8.  
disease control and detection. 42:175-9, 233-6.  
dormant cuttings. heat tolerance of. 42:67-72.  
fertilization of Thompson Seedless. 42:322-6.  
glutathione in tissue. 42:137-40.  
growth. 42:113-17.  
heat tolerance of dormant cuttings. 42:67-72.  
leaf removal. 42:233-6.  
Merlot. heat tolerance of dormant cuttings. 42:67-72.  
nitrogen distribution and translocation. 42:180-90.  
partitioning. 42:113-17, 180-90.  
phytoalexins. 42:41-6.  
potassium fertilization. 42:227-32.  
response to timing of nitrogen fertilization. 42:322-6.  
root dry weight. 42:113-17.  
rootstocks. 42:118-22.  
stem pitting associated virus. 42:175-9.  
Thompson Seedless. nitrogen fertilization. 42:322-6.  
trellising. 42:191-8.  
virus A. 42:175-9.
- Grenache grapevines. callus response to low temperatures *in vitro*. 42:341-6.
- Growth, grapevine. See Grapevine.
- Guide to authors. 42:370-5.

## H

- Haze, heat. characteristics of fractionated wine proteins. 42:123-7.
- Headspace gas chromatography. 42:63-6.
- Heat test of fractionated wine proteins. 42:123-7.
- Heat stress of dormant *Vitis vinifera* cuttings. 42:67-72.
- Heat tolerance of dormant *Vitis vinifera* cuttings. 42:67-72.
- Heterofermentation. 42:153-7.

Histamine. concentration changes during wine spoilage. 42:145-9.  
HPLC. See Chromatography.  
Hydrolysis. acid. 42:167-74.  
enzyme. 42:167-74.  
Hydroxyproline in wine. Colloids. isolation from wines. 42:150-2.

# I J K

Ion exchange chromatography. See Chromatography.  
Iron. contribution to foam constitution in sparkling wines. 42:97-102.  
Irrigation. 42:227-32.  
Juice, grape. amino acid profiles in. 42:261-7.  
flavor precursors. 42:167-74.  
tartaric, malic, and citric acids determination in. 42:1-5.  
treatment effects on yeast during fermentation. 42:133-6.  
Karyotypes of wine yeasts. 42:358-63.  
Killer yeast. effect on wine fermentation. 42:295-300.

# L

Lactic acid. determination in wine. 42:63-6.  
Leaf area. effect on early bunch stem necrosis. 42:290-4.  
Leaf removal for control of Botrytis bunch rot. 42:233-6.  
Leaf water potential. 42:118-22.  
*Legno riccio*. 42:175-9.  
*Leuconostoc oenos*. characterization. 42:274-7.  
native strains. 42:219-26.  
prophage curing in. 42:163-6.  
Lysogeny. 42:163-6.

# M

Macroelements in grapevines. 42:245-51.  
Malic acid. to modify urease activity in wine. 42:79-80.  
Malolactic fermentation. 42:63-6, 219-26.  
prophage curing in *Leuconostoc oenos*. 42:163-6.  
Mannitol. detection of biochemical characteristics of wine lactic acid bacteria. 42:153-7.  
Media. single broth culture for tests of heterofermentation, mannitol, and ammonia. 42:153-7.  
Merlot grapevines. heat tolerance of dormant cuttings. 42:67-72.  
Methoxypyrazines in Sauvignon blanc grapes and wine. 42:103-8, 109-12.  
Microbial antagonism. 42:295-300.  
Microelements in grapevines. 42:245-51.  
Mineral nutrition, grapevines. 42:227-32, 322-6.  
Mitomycin C. 42:163-6.  
Must, grape. clarification effects on yeast during fermentation. 42:133-6.  
climatic condition effects on yeast diversity. 42:141-4.  
concentration by reverse osmosis. 42:19-25.

# N

Nitrogen, grapevine. distribution and translocation in grapevines. 42:180-90.

fertilization of Thompson Seedless. 42:322-6.  
partitioning. 42:113-17, 118-22, 180-90.  
summer-applied. 42:180-90.  
Nitrogen assay of juice content to predict sluggish fermentation. 42:47-57.  
utilization during vinification. 42:199-208.  
Nutrition. effects on early bunch stem necrosis. 42:290-4.

# O

Organic acids. determination in grape juice and wine. 42:1-5.  
extraction from grapes for HPLC determination. 42:237-44.  
xylem fluid. 42:245-51.  
Oxidation, wine. reduction by chemical additives. 42:255-60.  
ultrafiltration effects on. 42:347-53.  
urea formation. 42:317-21.

# P Q

Partitioning. 42:180-90.  
Phenolics. partial defoliation effects on in Cabernet Sauvignon grapes. 42:13-18.  
Phenols. polymeric phenols in wines. 42:309-16.  
Phospholipids. fermentation activity in musts. 42:301-8.  
Photosynthesis. 42:118-22.  
Phytoalexins in grape berries at different developmental stages. 42:41-6.  
Phytotoxicity. 42:281-9.  
*Pichia membranaefaciens*. juice and must treatment effects on during fermentation. 42:133-6.  
Pinot gris grapevines. 42:175-9.  
Pinot noir grapevines. 42:175-9.  
Point quadrat analysis. 42:191-8.  
Polymers. 42:364-6.  
Polyphenol(s). isolation and determination in wines. 42:309-16.  
Polyphenoloxidase. effects on color and quality of white wines. 42:128-32.  
Polysaccharides. contribution to foam constitution in sparkling wines. 42:97-102.  
Potassium. fertilization of Thompson Seedless vines. 42:227-32.  
hydrogen tartrate. 42:336-40.  
partitioning in Cabernet Sauvignon grapevines. 42:113-17, 118-22.  
Proanthocyanidins. 42:364-6.  
Proline. in commercial juice and wine. 42:261-7.  
Prophage curing. 42:163-6.  
Protein(s). contribution to foam constitution in sparkling wines. 42:97-102.  
heat haze characteristics. 42:123-7.  
-polysaccharide complexes in red wine. 42:150-2.  
Pruning. 42:191-8.  
Quality, wine. 42:13-18, 167-74, 347-53.

# R

Raisins. physical and chemical characteristics. 42:76-8.  
Resveratrol production by grape berries. 42:41-6.

- Reverse osmosis. must concentration. 42:19-25.  
 Riesling wine. must concentration by reverse osmosis. 42:19-25.  
 RNA, double-stranded. 42:175-9.  
 Root (s), grapevine. dry weight. 42:113-17, 118-22.  
     rootstock effects on partitioning of dry weight, nitrogen,  
     and potassium in Cabernet Sauvignon vines. 42:113-  
     17.  
 Rootstock. effects on partitioning of dry weight, nitrogen, and  
 potassium in Cabernet Sauvignon vines. 42:113-17.  
 Rupestris stem pitting. 42:175-9.  
 Russeting. 42:281-9.

## S

- Saccharomyces cerevisiae*. electrophoretic karyotypes. 42:358-  
 63.  
     juice and must treatment effects on during fermentation.  
     42:133-6.  
     phospholipid and sterol contents in. 42:301-8.  
     urea formation. 42:199-208, 317-21.  
     yeast strain identification. 42:6-12.  
 St. George rootstock. partitioning. 42:118-22.  
 Salt effects on alcohol composition. 42:252-4.  
 Sauvignon blanc grapes. methoxypyrazines in. 42:103-8, 109-  
 12.  
 Sauvignon blanc wine. methoxypyrazines in. 42:103-8, 109-12.  
 Sensory analysis. hydrolyzed flavor precursors contribution to  
 quality of Shiraz juice and wine. 42:167-74.  
     methoxypyrazines. 42:103-8, 109-12.  
     ultrafiltration effects on. 42:91-6.  
 Serine in wine. 42:150-2.  
 Sherry. *Botrytis cinerea* infection of grapes effects on aging  
 process. 42:58-62.  
 Shiraz wine. contribution of hydrolyzed flavor precursors to  
 quality. 42:167-74.  
 Skin dry mass. defoliation effects on. 42:13-18.  
 Sluggish fermentation. killer yeast effects on. 42:290-4.  
     nitrogen content of juice effect on. 42:47-57.  
 Sparkling wines. foam active compounds in. 42:97-102.  
 Stem pitting, grapevine. 42:175-9.  
 Sterols. fermentation activity in grape musts. 42:301-8.  
 Sugar(s). extraction from grapes for HPLC determination. 42:237-  
 44.  
     partial defoliation effects on concentration. 42:13-18.  
 Sulfite(s). effects on white wine color and quality. 42:128-32.  
 Sulfur dioxide. to reduce browning in white wine. 42:255-60, 354-  
 7.

## T

- Tannin. polymers in red wines. 42:309-16.  
 Teleki 5C rootstock. partitioning. 42:118-22.  
 Temperature. See also Acclimation, Cold hardiness.  
     cultivar differences in response to. 42:341-6.  
 Thompson Seedless grapevines. 42:227-32, 322-6.  
 Threonine in wine. 42:150-2.  
*Torulaspora delbrueckii*. phospholipid and sterol contents in.  
 42:301-8.

- Toxin produced by killer yeast during fermentation. 42:295-300.  
 Translocation of nitrogen in grapevines. 42:180-90.  
 Trellising. 42:191-8.  
 Turnover. nitrogen. 42:180-90.  
 Tyramine. changes in concentration during wine spoilage. 42:145-  
 9.

## U V

- Urea. amino acid uptake by yeasts effects on excretion. 42:26-  
 40.  
     formation in wine. 42:199-208, 317-21.  
 Urease. activity modification by fluoride ions and malic acid.  
 42:79-80.  
 Vapor distillation. 42:73-5.  
 Vignoles grapevines. 42:191-8.  
 Virus. -free grapevines. 42:175-9.  
     indexing. 42:175-9.  
*Vitis labrusca* grapevines. resveratrol production. 42:41-6.  
*Vitis rotundifolia* wines. polyphenoloxidase and sulfite effects on  
 color and quality. 42:128-32.  
*Vitis vinifera* grapevines. Botrytis bunch rot. 42:41-6, 233-6.  
     heat tolerance of dormant cutting. 42:67-72.  
     leaf removal. 42:233-6.  
     partial defoliation effects on. 42:13-18.  
     resveratrol production. 42:41-6.  
     temperature effects on callus *in vitro*. 42:341-6.

## W

- Water. effects on early bunch stem necrosis on. 42:290-4.  
 White Riesling grapevines. callus response to low temperatures  
*in vitro*. 42:341-6.  
 White Riesling wine. ultrafiltration effects on aroma and flavor.  
 42:91-6.  
 Wine(s). See also specific wine.  
     amino acid profiles of commercial juice and wine. 42:261-  
     7.  
     bacteriophage contamination. 42:163-6.  
     biacetyl in. 42:73-5.  
     browning. 42:128-32, 255-60.  
     chaptalization. 42:19-25.  
     citric acid determination in. 42:1-5.  
     climatic conditions effects on yeast diversity. 42:141-4.  
     fatty acids analysis. 42:268-73.  
     flavor precursors. 42:167-74.  
     killer yeast effect on fermentation. 42:295-300.  
     lactic acid determination. 42:63-6.  
     lactic acid bacteria. 42:153-7.  
     malic acid determination in. 42:1-5.  
     malolactic fermentation. See fermentation.  
     methoxypyrazines in. 42:103-8, 109-12.  
     oxidation. 42:255-60, 317-21.  
     phospholipid contents in. 42:301-8.  
     protein-saccharide complexes in. 42:150-2.  
     quality. grapevine defoliation effects on. 42:13-18.  
     Riesling. concentrated by reverse osmosis. 42:19-25.  
     sensory analysis. See also Sensory analysis.  
     hydrolyzed flavor precursors contribution to quality  
     of Shiraz juice and wine. 42:167-74.  
     polyphenoloxidase and sulfite effects on. 42:128-  
     32.  
     ultrafiltration effects on. 42:91-6.  
     Sherry, *Botrytis cinerea* effect on biological aging. effect on



biological aging of fino sherry. 42:58-62.  
 Shiraz. 42:167-74.  
 sluggish fermentation. 42:295-300.  
 sparkling. See Sparkling wine.  
 spoilage. 42:145-9.  
 stabilization. 42:336-40.  
 sterol contents in. 42:301-8.  
 sulfur dioxide to reduce browning . 42:255-60.  
 tartaric acid determination in. 42:1-5.  
 ultrafiltration effects on aroma and flavor. 42:91-6.  
 urea formation. 42:199-208, 317-21.  
 urease activity in. 42:79-80.  
 White Riesling wine. ultrafiltration. 42:91-6.  
 yeast. See yeast.

# XYZ

Xylem fluid chemistry. 42:245-51.  
 Yeast. See also specific yeast.  
     amino acid uptake by. 42:26-40.  
     climatic conditions effects on diversity in musts. 42:141-4.  
     contribution of strains to urea accumulation in wines.  
         42:199-208, 317-21.  
     diversity. 42:141-4.  
     electrophoretic karyotypes. 42:358-63.  
     juice treatment effects on. 42:133-6.  
     killer. effect on wine fermentation. 42:295-300.  
     must treatment effects on. 42:133-6.  
     native strains. 42:219-26.  
     strain identification. 42:6-12.